

## DATASHEET

# CEMO Battery charging cabinet 8/5 with feet

Order number: 12109



Product <p>front view open with displayed contents or with optional accessories</p>

Product front view closed



Product front view open

Product open, diagonally from the left

Product <p>open, diagonally from the left with displayed contents or with optional accessories</p>



lockEX<sup>®</sup>2.0  
inside

Product closed, diagonally from the left

## TECHNICAL DATA

Medium	Lithium batteries
Dimensions	66 x 62 x 80 cm
Internal dimensions	53 x 45 x 73 cm
Weight	89 kg
TÜV Nord Certification	44 780 23136701
Installation Location	indoor
Material	non-combustible building material

Coating	HPL (high pressure laminate)
Container Colour	grey
Door Colour	orange
Operating Voltage	230 V
Maximum power	3500 W (16 A)
Frequency	50/60 Hz
Fan Noise Level	33
Permissible Energy	3021.2 Wh
Load Capacity per Storage Level	30 kg / Level
Stackable	<p>3-high</p>
Forkliftable	Yes
Permissible Energy Per Storage Level	1510.6 Wh
Assembly condition	mounted
Plug	protective contact

## EQUIPMENT

Feet/Castors	feet
Number of Doors	2
Door Model	double hinged doors
Door Lock Type	T-handle with 2 point locking
Mechanical Ventilation	Yes
Door Contact Switch	Yes
Number of Power Sockets	1x9
Volt-Free Contact	no
Storage Levels	2
Number of Shelves	1
Shelf Material	powder-coated steel
Smoke Detector	battery-powered
Temperature Detection	thermal fuse
Display	no
Warning Signal	<p>audible</p>
Alarm Transmission	no
Vermiculite	no

## SUITABLE MEDIA

Lithium Battery
-----------------

## LOGISTICS

Package dimensions	80 x 77 x 120 cm
Units per box	0.00
Pallet Dimensions	80 x 77 x 120 cm
Pallet weight	0 kg

## APPROVAL



VDMA standard sheet  
24994:2024-08



## ACCESSORIES



11345 - Fireproof  
cable entry



11461 - Castor rack  
for battery cabinet  
8/5 240 kg loading  
capacity



11561 -



11562 - Rack, for up  
to two cabinets,  
including wall  
mounting(only in  
combination

[Link to product](#)

