ENVIRONMENTAL PROTECTION



DATASHEET

CEMO Battery storage cabinet 8/5

Order number: 12104







Product closed, diagonally from the left

Product front view open





Product front view closed

Product front view open with displayed contents or with optional accessories

TECHNICAL DATA

Medium	Lithium batteries
Dimensions	58 x 52 x 81 cm
Internal dimensions	53 x 45 x 73 cm
Weight	84 kg
Package Weight	106 kg
TÜV Nord Certification	44 780 23136701
Installation Location	indoor
Material	non-combustible building material
Coating	HPL (high pressure laminate)
Container Colour	grey
Door Colour	orange
Operating Voltage	-/-
Maximum power	-/-
Frequency	without
Permissible Energy	3021.2 Wh
Load Capacity per Storage Level	30 kg / Level
Stackable	no
Forkliftable	no
Permissible Energy Per Storage Level	1510.6 Wh



Assembly condition mounted

EQUIPMENT

Number of Doors	2
Door Model	double hinged doors
Door Lock Type	T-handle with 2 point locking
Mechanical Ventilation	no
Door Contact Switch	no
Number of Power Sockets	without
Volt-Free Contact	no
Storage Levels	2
Number of Shelves	1
Smoke Detector	battery-powered
Display	no
Warning Signal	audible
Alarm Transmission	no
Vermiculite	no

SUITABLE MEDIA

ery

LOGISTICS

Package dimensions	80 x 67 x 120 cm
Units per box	1.00
Pallet Dimensions	80 x 67 x 120 cm
Pallet weight	106 kg

APPROVAL







ACCESSORIES









11345 - Fireproof cable entry

11368 - Stacking feet 11461 - Castor rack set (8/5) for Licabinets

for battery cabinet 8/5 240 kg loading capacity

11561 -

11562 - Rack, for up to two cabinets, including wall mounting(only in combination



